

FISCHBEIN®

A DURAVANT COMPANY

REO HEAVY DUTY SEALER (DOUBLE IMPULSE HEAT SEALER)

Reo, a heavy duty manual sealer is suitable for use with polyethylene sheet and other materials. Sealing is achieved by the simultaneous application of heat and pressure, which are both controlled automatically once the bag or sack has been presented to the sealing bars. Heat is generated by using the 'impulse' principle thus the bars are only energised when they are used for sealing. In the front panel there is an electronic module which can be set, accurately, for different types of materials and sizes. The heating time is selected by using decade switches and the cooling time is adjusted with a rotary potentiometer. There is a trim control

which is used to prevent excessive heat build-up when the jaws are operated frequently. Solenoids are used to close the sealing bars and these operate with a two stage action for safety. A pneumatic foot switch is provided so that the operator has both hands free for presenting the bags.

The unit is built from sheet and box section steel and is supplied complete with a floor stand, sack support, foot switch and mains cable. Versions are also available for bench top mounting and vacuum sealing.

Features:

- Automatic sealing bar operation
- Digital control setting
- Seals double thickness of 250µ polyethylene
- Plug-in control module
- Wide range of seal bar lengths (optional): 225mm, 300mm, 400mm, 600mm, 825mm, 1025mm, 1175mm
- Heat compensation for repeatable seal quality
- Impulse sealing for most materials
- Electrical supply: 230V single phase
- Compact version also available
- Vacuum sealing attachment (optional)
- Bench top mounting (optional)

Advantages:

- Low purchase cost
- Low cost of ownership
- Flexible to suit all heat sealable films, products, bag sizes and weights
- Excellent seal strength
- Compact – occupies a small amount of floor space and can be stored away
- Simple to use and maintain
- Robust construction
- Low power usage



Bench top mounting



FISCHBEIN S.A.

Paepsem Business Park, Boulevard Paepsem 8, B-1070 Brussels, Belgium

Tel: +32-2-555.11.70 · Fax: +32-2-520.33.90 · E-Mail : sales@fischbein.be

Website : www.fischbein.com · TVA/BTW : BE 401.889.806 · RCB/HCB : 264.230

KB Brussels : 432-40142681-31 · BBL Brussels: 310-0825888-19

Recommended Bag Size	Maximum Bag Size	Available Machine Types
225mm	275mm	NC410
300mm	350mm	NC110 & NC410
400mm	450mm	NC110 & NC410
600mm	650mm	NC110, NC200, NC220 & NC300
825mm	875mm	NC200 & NC300
1025mm	1075mm	NC200 & NC300
1175mm	1225mm	NC200 & NC300


The control module:

Compact version

On column

The first two digits control the impulse sealing time. The third determines the trim time which compensates for any possible heat build-up in the sealing jaws.

A potentiometer is used to adjust the cooling time i.e the time between sealing and when the bars are released.




FISCHBEIN S.A.

Paepsem Business Park, Boulevard Paepsem 8, B-1070 Brussels, Belgium

Tel: +32-2-555.11.70 · Fax: +32-2-520.33.90 · E-Mail : sales@fischbein.be

Website : www.fischbein.com · TVA/BTW : BE 401.889.806 · RCB/HCB : 264.230

KB Brussels : 432-40142681-31 · BBL Brussels: 310-0825888-19



Safety features

The source of the heating current, through the sealing bars, is isolated from the mains supply and is safe, low voltage. This ensures that the exposed element connections do not cause an operator hazard. The seal bars close immediately on operation of the foot switch but will only remain closed if the seal bars meet. If the operators fingers are left between the bars, the full pressure will not be exerted and the heating current will not be applied. The bars will open as soon as the foot switch is released.



FISCHBEIN S.A.

Paepsem Business Park, Boulevard Paepsem 8, B-1070 Brussels, Belgium

Tel: +32-2-555.11.70 · Fax: +32-2-520.33.90 · E-Mail : sales@fischbein.be

Website : www.fischbein.com · TVA/BTW : BE 401.889.806 · RCB/HCB : 264.230

KB Brussels : 432-40142681-31 · BBL Brussels: 310-0825888-19



FISCHBEIN S.A.
Paepsem Business Park, Boulevard Paepsem 8, B-1070 Brussels, Belgium
Tel: +32-2-555.11.70 · Fax: +32-2-520.33.90 · E-Mail : sales@fischbein.be
Website : www.fischbein.com · TVA/BTW : BE 401.889.806 · RCB/HCB : 264.230
KB Brussels : 432-40142681-31 · BBL Brussels: 310-0825888-19